

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Jan Brill
Bayer Environmental Science
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, NC 270709



Dear Mr. Brill:

Subject: Application for Pesticide Notification (PRN 98-10)

Comply with Agency pyrethroid labeling letter dated June 4, 2009, Revise per Pesticide Registration Notice 2007-4 (Container Disposal),

and Update Warranty Statement DeltaGard G Insecticide Granule

EPA Reg. No. 432-836

Your submission dated May 21, 2010

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 21, 2010 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely,

Richard Gebken Product Manager 10

Insecticide Branch

Registration Division (7505P)

Please read instructions on reverse bef	ore completing form.			F	orm Approved, OMB No. 2070-0060
O EDA	United S	States	☐ Regist	ration	OPP Identifier Number
EPA Env	vironmental Pro	otection Agenc	_		ľ
	Washington,	_			
·	vvasiington,	DC 20400			
,	Арр	lication for Pe	esticide - Sectio	n I	
Company/Product Number			Product Manager		Proposed Classification
432-836		M. Su	arez		
4. Company/Product (Name)		PM#			None Restricted
DeltaGard G Insecticide Granu		13		-	
5. Name and Address of Applicant (6. Exp	pedited Review. II	n accordance v	with FIFRA Section 3(c)(3)
Bayer Environmental Science	e ·	(D)(1),	my product is simil	ar or identical	in composition and labeling
2 T.W. Alexander Dr.		to:	Dom No	FICAT	in composition and labeling
Raleigh, NC 27709		EPA F	Reg. No	MAY 2 / 2	
Check if this is a new a	ddress	Produ	ct Name	MAY 2 4 20) []
		Secti	on - II		
Amendment – Explain below.				bels in response to	o Agency letter dated
Resubmission in response to A	agency letter dated	•	"Me Too" Applic	=	
Notification - Explain below.	igonoy lottor dated _		Other - Explain		
Explanation: Use additiona	l nage(s) if nece	ssary (For Sect			
Notification of Label Changes					
9	•	•		•	
Notification of label changes per l					
notification is consistent with the					
No other changes have been made					
violation of 18 U.S.C. Sec. 1001 t					
consistent with the terms of 40 CF		luct may be in viol	lation of FIFRA and	I may be subjec	t to enforcement action and
penalties under sections 12 and 14	of FIFRA.	·			
		Section	on - III	···	
Material This Product Will Be Pa					
Child-Resistant Packaging	Unit Packaging		Water Soluble Packaging ☐ Yes ☐		Type of Container Metal
∐ Yes*	☐ Yes				
⊠ No	⊠ No If "Yes"	No. per	No If "Yes"	No nos	Plastic
	Unit Packaging		Package wgt.	No. per container	Glass
*Certification must		G.	lgg.		Paper
be submitted			ļ		Other (Specifiy)
3. Location of Net Contents Informa		Size(s) Retail Contai		<u> </u>	of Label Directions
Label Cor	itainer 1 p	ound – 50 pound	ds .	On Labe	d .
	<u> </u>			On label	ling accompanying product
6. Manner in Which Label is Affixed			Other	printed on bag	
		Paper glued Stenciled			
			on - IV	,	
Contact Point (Complete items di	iractly halow for iden			cossan, to process	o this application)
	Delow for iden	Title	ii to be contacted, ii net		Telephone No. (Include Area
Name Jan Brill		Title	Manager, Registration		Ccde) CC
·				<u>_</u>	919/549-2421
·		tification		C (C CO. Da.e cappilication
I certify that the statements I have r acknowledge that any knowingly fal	nade on this form an se or misleading sta	nd all attachments th tement may be punis	ereto are true, accurate shable by fine or impris	and complete. I onment or both	ျွင့် Rèceivêd ၂၂ ်(S éathped)
under applicable law.		<u> </u>			د ده د
2. Signature	7	3. Title			c de C
Jan 12			Manager, Registra	tions	6
4. Typed Name		5. Date			-
Jan Brill			21 May 2010		6666
•		1	-		1

3/8

Deltagard G Insecticide Granule EPA Reg. No. 432-836 21 May 2010

Section II Explanation - Continued

Notification of changes to labeling

- 1. Page 2, Incorporated the relevant verbiage required for professionally applied granular products containing pyrethroids into the Environmental Hazard & Directions for Use sections of the labeling as dictated by EPA's June 4, 2009 letter entitled "Environmental Hazard and General Labeling for Pyrethroid Non-Agricultural Outdoor Products Notification".
- 2. Page 3, Revised container disposal statement in accordance with PR Notice 2007-4
- 3. Page 4, Revised Warranty statement as outlined on Page 9 of Chapter 12 in the EPA Label Review Manual

Bayer Environmental Science



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

ATTN:

Mark Suarez, PM #13

Subject:

DeltaGard G Insecticide Granule

EPA Reg. No. 432-836

Notification of Label Changes per PR Notices 2007-4 & 98-10 and per

EPA letter dated June 4, 2009

Dear Mr. Suarez,

With this submission, Bayer Environmental Science notifies EPA of Label Changes to bring the subject product into compliance with the June 4, 2009 EPA letter entitled "Environmental Hazard and General Labeling for Pyrethroid Non-Agricultural Outdoor Products Notification", and with PR Notice 2007-4, and to update the warranty statement as outlined on Page 9 of Chapter 12 in the EPA Label Review Manual.

To effect this action, enclosed please find the following;

- 1. EPA Form 8570-1 with explanation page
- 2. 1 copy of proposed labeling for the subject product
- 3. 1 copy of proposed labeling with the changes highlighted

I trust that this completes the documentation for this registration action. If you have any questions, or require further information, please contact me either by telephone at 919/549-2421 or email at jan.brill@bayercropscience.com

Sincerely,

Manager, Registration

Email; jan.brill@bayercropscience.com

May 21, 2010

Bayer Environmental Science P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Tel. 919 549-2421 Fax. 919-549-3937

DeltaGard INSECTICIDE GRANULE

FOR SALE TO, USE AND STORAGE BY COMMERCIAL APPLICATORS ONLY.

FOR INSECT CONTROL IN TURFGRASSES, LANDSCAPE ORNAMENTAL PLANTINGS (including interior plantscapes), AND PERIMETERS AROUND COMMERCIAL, INDUSTRIAL, RESIDENTIAL, AND RECREATIONAL

For Outdoor Use on Lawns, Grounds, and Perimeter Treatments.

Kills Insects in Lawns

Controls Home Invading Pests

10 Pounds Treats up to 5,000 Square Feet

Controls Surface-Feeding Pests

Kills Ticks (Including those that may carry Lyme Disease)

NOT FOR USE ON GOLF COURSES OR SOD FARMS

New water Dispersible Granule

ACTIVE INGREDIENT:

OTHER INGREDIENTS: 99.9%

NOTIFICATION

MAY 2 4 2011

EPA Reg. No. 432-836

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

IN CASE OF MEDICAL, ENVIRONMENTAL, OR TRANSPORTATION EMERGENCIES OR INQUIRIES. CALL 1-800-334-7577 (24 HOURS/DAY).

FOR PRODUCT INFORMATION, CALL TOLL-FREE: 1-800-331-2867

FIRST AID

IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.				
	Have person sip a glass of water if able to swallow.				
	Do not induce vomiting unless told to do so by a poison control center or doctor.				
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.				
	Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.				
	Call a poison control center for treatment.				
IF INHALED:	Move person to fresh air.				
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.				
	Call a poison control center or doctor for further treatment advice.				
Have the product cont	ainer or label with you when calling a poison control center or doctor or going for				

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides. Do not allow children or pets on treated areas until granules have been watered into the soil and the grass or soil is dry.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION RESTRICTIONS

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on lawns and grounds.

Not for use in commercial greenhouses or nurseries.

Not for use on sod farms, grass grown for seed, or on golf course turf.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Do not apply on saturated soil. Do not allow runoff to occur. Do not contaminate ornamental fish ponds.

Apply this product as prescribed on this label but not more than once per week during the growing season.

To avoid potential residue on concrete surfaces (patios, sidewalks, driveways, pavers, or similar material), it is recommended that granules applied to these surfaces be removed.

In New York State, product may not be applied to turf within 100 feet of a coastal marsh, or stream that drains directly into a coastal marsh. For control of turf insects other than ticks in New York State, a second application may be made after two weeks if target insect activity persists.

GENERAL INFORMATION

DELTAGARD G Insecticide Granule is a broad spectrum residual pyrethroid insecticide for the control of major insect pests in turfgrasses and landscape ornamentals (including interior plantscapes) and around the perimeters of structures in residential, commercial, and recreational areas. DELTAGARD G Insecticide Granule is a 0.1% granular formulation of deltamethrin on a water dispersible carrier. Treat as directed. Use with care when applying in areas adjacent to any body of water.

RECOMMENDATIONS FOR TURFGRASSES, ORNAMENTAL PLANTINGS, AND PERIMETER TREATMENTS:

Apply DELTAGARD G Insecticide Granule as a broadcast application with suitable and calibrated application equipment to give complete and uniform coverage of pest infested areas. Applications should be made using the rates shown below:

Pest	Dosage of Product	Application Procedure	
Annual bluegrass weevil	2 to 3 pounds per 1,000 square feet	Treat when insects first appear.	
(Hyperodes) (adult), Ants,			
Armyworms, Bermudagrass mites,	OR	1	
Billbugs (adult), Black Turfgrass		Apply this product uniformly to the	
Ataenius, Boxelder bugs,	0.08 to 0.13 pound active ingredient	treated area.	
Centipedes, Chiggers, Chinchbugs,	per acre	· .	
Clover mites, Cockroaches, Crickets,		Use the higher application rate for	
Cutworms, Darkling ground beetles,	OR	subsurface pests and/or for extended	
Digger wasps, Essex skipper, Field		residual control.	€ ¢
crickets, Fiery skipper, Fire ants,	87 to 131 pounds per acre	, , , , , , , , , , , , , , , , , , , ,	cc
Firebrats, Flea beetles,		For optimum results, irrigate with an	L
Grasshoppers, Japanese Beetles		adequate quantity of water to	، (ر. و ناز
(adult), Lawn moths, Leafhoppers,		thoroughly moisten grass and thatch,	
Mealybugs (adult), Silverfish, Sod		1	6 66
webworms, Sowbugs, Spiders,		granules.	((
Spittlebugs, Springtails, Ticks (including those that may carry lyme		ر د ډُر ر د	Ĺ
disease), and Vegetable weevils			ر د ر ر ر
Mole crickets	2 to 3 pounds per 1,000 square feet	In order to improve efficacy, irrigate	
Wide Choketa	2 to 5 pounds per 1,000 square reet	as soon as possible with 1/4 to 1/2	درزر
·			: د <i>د</i> د (

APPLICATION EQUIPMENT: DELTAGARD G Insecticide Granule is a granular formulation. Apply with a fertilizer spreader or equivalent equipment as uniformly as possible. Spreaders should be calibrated periodically to ensure that equipment wear or other factors have not altered the flow rate of DELTAGARD G Insecticide Granule. Calibration instructions are included in the Owner's Manual that was provided by the equipment manufacturer at the time of purchase.

DELTAGARD G Insecticide Granule Recommended Spreader Settings

Note: Calibration chart for spreaders will be inserted at time of printing.

TICK CONTROL (OUTDOORS): For control of *Ticks* (including, but not limited to *Bear Tick, Black-legged Tick, Brown Dog Tick, Deer Tick, Lone Star Tick, Western Black-legged Tick, Wood Tick*), a regular treatment program should be followed. Treat once a month as directed above when pests first appear in late spring (May-June) and continue until late summer (August-September) into the fall.

SOD WEBWORMS: If Lawn Moths (Sod Webworm Adults) are noticed in large numbers at dusk, or at first sign of damage to lawn, treat entire lawn uniformly.

PERIMETER TREATMENT: To help prevent infestation of buildings by **Ants, Boxelder Bugs, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Field Crickets, Fire Ants, Sowbugs, Spiders, Springtails (Collembola), Termites,** and **Ticks;** treat a band 5 to 10 feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of 1 to 1 1/2 pounds per 500 square feet or 2 to 3 pounds per 1,000 square feet.

For termites, the purpose of such applications of DELTAGARD G Insecticide Granule is to kill workers or winged reproductive forms which may be present at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement.

SPOT TREATMENT: To control *Ants*, including *Acrobat*, *Argentine*, *Big Headed*, *Cornfield*, *Harvester*, *Leafcutter*, *Little Black*, *Pavement and Pyramid Ants*; if possible, locate and treat nest first. Product should be applied to thoroughly cover the nest (1 to 2 teaspoons) and sprinkled with sufficient water to dissolve granules. In addition to treating ant nests or mounds, entry points of buildings and the soil surface along the perimeter of the building should be treated.

DIGGER WASPS: Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening. Make the application at dusk when wasps are not active.

IMPORTED FIRE ANTS: Apply two tablespoons over each 8" to 10" diameter mound and up to 2 feet around to prevent escape of the queen. Immediately after application, water the granules into the soil gently with a light sprinkling can to avoid disturbing the colony. Use at least 1 gallon of water per mound. Apply in cool weather during the spring and fall (65°-80°F), or in early morning or late evening for best results. Treat new mounds as they appear. If possible, make applications after a recent rainfall.

FLOWER, SHRUB, ORNAMENTAL PLANT BEDS AND INTERIOR PLANTSCAPES:

To control *Ants, Fire Ants, Armyworms, Centipedes, Cockroaches, Crickets, Cutworms, Grasshoppers, Pillbugs, Sowbugs, Spiders, Springtails*, and *Ticks*; apply granules evenly over soil within the beds, interiorscapes, and under shrubbery. Use the same dosage recommended for control of these pests in lawns. For optimum results, irrigate with an adequate quantity of water to thoroughly moisten treated area and dissolve the insecticide granule. Do not use on or around fruit and nut trees, vegetable plants or around any plants used for food.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container in a secured, dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If the container is leaking or material is spilled, sweep up and remove to chemical waste area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility. Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty container (by shaking and tapping sides and bottom) into application equipment. Dispose of container in a sanitary landfill or by incineration if allowed by State and local authorities. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

DeltaGard and Chipco are registered trademarks of the Bayer CropScience LP.

Net Contents: 40 Pounds



Bayer Environmental Science

A Business Group of Bayer CropScience LP PO Box 12014 2 T. W. Alexander Drive Research Triangle Park, NC 27709

DELTAGARD G INSECTICIDE GRANULE (MASTER) 08/29/07. Notification 05/04/10

